

## 2000-DT-FSR-NI - NON-INCENDIVE DESKTOP KEYBOARD



## Sealed Non-Incendive Safe Keyboard, w/ Built-in Mouse

- Non-Incendive for use in hazardous environments
- Environmentally Sealed to NEMA 4, 4X / IP65 specifications
  - Rugged Stainless Steel Case
  - Includes Bulkhead Connectors
  - 114 Keys, 24 Function Keys & 10-Key Numeric Pad
    - Built-in 3 button Pointing Device
    - Greater than 10 Million cycles expected life
- Includes separate PS/2 or USB cables with Bulkhead connectors

Please contact us if you have a requirement for this model.





## PRODUCT DESCRIPTION

The Stealth model 2000-DT-FSR-NI is a Non-Incendive Desktop Keyboard that is environmentally sealed to NEMA 4, 4X / IP65 specifications and designed to operate in hazardous locations including wet, dirty or harsh environments.

This rugged keyboard with stainless steel bezel includes 114 Keys in total, 24 Function Keys, 10 Key numeric keypad and a built-in 3 button pointing device mouse. The 2000-DT-FSR-NI has a Factory Mutual approval for Class I, Division II, Groups A, B, C, and D. All units include isolation barrier.

The 2000-DT-FSR-NI is available with a USB or PS/2 interface.

Page: 2 July 27, 2024



## **ADDITIONAL INFORMATION**

FM Approved for Class I

**Industrial Approvals** Division II, Groups: A, B, C, D

NEMA 4, 4X / IP65 UL 60950, CE, FCC Class B

Material: Industrial Silicone Rubber Life: Greater than 10 million cycles

Elic. Greater than 10 million

**Key Switch** Travel: 0.055" (1.4mm)

Actuation Force: 200g (+/- 30g) / 7.05oz (+/- 1.06oz)

Feedback: Tactile with mechanical snap Storage: -40C to +80C (-40F to +176F)

**Temperature Range**Operating: -20C to +70C (-4F to +158F)

Humidity 100%

**Shock** 3×11 ms pulses of 50g on each of 3 axes

Vibration Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz,

Duration of Test per Axis: 3 hours

**Dimensions** (W-D-H) 20.25" x 7.88" x 1.8" (514.4mm x 200.2mm x 45.7mm)

Length: 5 feet from keyboard to Bulkhead Connector

**Cable** Design: separate cables

(providing separate keyboard and mouse connections)

**Compatibility** Compatible with all Windows Operating Systems

**Weight** Unit: 7.05 lbs +/- 0.10 lbs (3.74 kg +/- 0.05kg)

**Warranty** 1 Year limited Warranty Standard

Model Numbers 2000-DT-FSR-NI-PS/2 (PS/2 Interface)

2000-DT-FSR-NI-USB (USB Interface)

**Disclaimer** Note: Specifications are subject to change without notice.