

## 5000-DT-FSR-IS - INTRINSICALLY SAFE DESKTOP KEYBOARD



### ***Sealed Intrinsically Safe Keyboard, w/ Built-in Mouse***

- Environmentally Sealed to NEMA 4, 4X / IP65 specifications
- Factory Mutual approval for Class I, II and III, Division I, Groups C, D, E, F and G.
  - Rugged Stainless Steel Case
  - Includes Bulkhead Connectors and Optical Barriers
    - 112 Keys, 20 Function Keys, WIN Key
    - Built-in 3 button Pointing Device
  - Greater than 10 Million cycles expected life
- Includes separate PS/2 cables with Bulkhead connectors

**Please contact us if you have a requirement for this model.**



## **PRODUCT DESCRIPTION**

The Stealth model 5000-DT-FSR-IS is an Intrinsically Safe Desktop Keyboard that is environmentally sealed to NEMA 4, 4X / IP65 specifications and designed to operate in hazardous locations including wet, dirty or harsh environments.

This rugged keyboard with stainless steel bezel includes 112 Keys in total, 20 Function Keys, 22 Key numeric keypad and a built-in 3 button pointing device mouse. The 5000-PM-FSR-IS has a Factory Mutual approval for Class I, II and III, Division I, Groups C, D, E, F and G. The 5000-DT-FSR-IS comes with optical isolated barriers and bulkhead cables for complete protection.

The 5000-DT-FSR-IS is available with a PS/2 interface.

**ADDITIONAL INFORMATION****Industrial Approvals**

FM Approved for Class I, II, III  
Division I, Groups: C, D, E, F, G  
NEMA 4, 4X / IP65 UL 60950, CE, FCC Class B

**Key Switch**

Material: Industrial Silicone Rubber  
Life: Greater than 10 million cycles  
Travel: 0.055" (1.4mm)  
Actuation Force: 200g (+/- 20g) / 7.05oz (+/- 1.06oz)  
Feedback: Tactile with mechanical snap

**Power**

Please Reference Drawing for Power Requirements. Installation shall be in accordance with NEC, Article 504, ANSI, NFPA 70.

**Temperature Range**

-40C to +75C (-40F to +167F)

**Humidity**

100%

**Dimensions**

(W-H-D) 16.25" x 7.88" x 1.8" (412.8mm x 200.2mm x 45.7mm)

**Cable**

Length: 5 feet from keyboard to Bulkhead Connector  
Design: separate cables  
(providing separate keyboard and mouse connections)

**Compatibility**

Compatible with all Windows Operating Systems

**Weight**

Unit: 6.75 lbs +/- 0.10 lbs (3.06 kg +/- 0.05 kg)

**Warranty**

1 Year limited Warranty Standard

**Model Numbers**

5000-DT-FSR-IS-PS/2 (PS/2 Interface)

**Disclaimer**

Note: Specifications are subject to change without notice.