

## 5000-DT-NI-PS/2 - NON-INCENDIVE DESKTOP KEYBOARD



### ***Sealed Non-Incendive Safe Keyboard, w/ Built-in Mouse***

- Environmentally Sealed to NEMA 4, 4X / IP65 specifications
  - Rugged Stainless Steel Case
  - Includes Bulkhead Connectors
- 114 Keys, 20 Function Keys, WIN KEY
  - Built-in 3 button Pointing Device
- Greater than 10 Million cycles expected life
- Includes separate PS/2 cables with Bulkhead connectors

*(If you have a requirement please  
contact us for availability.)*



## PRODUCT DESCRIPTION

Stealth Computer manufactures a full line of non-incendive keyboards and pointing devices. Each unit is enclosed in a stainless steel case and carries a Factory Mutual approval of Class I, Division II. These units do not require barriers and are ideal for harsh working conditions. All units ship with bulkhead cables.

**ADDITIONAL INFORMATION****Industrial Approvals**

FM Approved for Class I, II, III  
Division II, Groups: A, B, C, D  
NEMA 4, 4X / IP65 UL 60950, CE, FCC Class B

**Key Switch**

Material: Industrial Silicone Rubber  
Life: Greater than 10 million cycles  
Travel: 0.060" (1.5mm)

**Power**

Actuation Force: 5oz (130g)  
Feedback: Tactile with mechanical snap  
Mouse: 5V@10ma (from mouse conn. port)  
Keyboard: 5V@10ma (from CPU Port)

**Temperature Range**

-40C to +90C (-40F to +194F)

**Humidity**

100%

**Shock**

3×11 ms pulses of 50g on each of 3 axes

**Vibration**

Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz,  
Duration of Test per Axis: 3 hours

**Dimensions**

(W-H-D) 16.25" x 7.9" x 1.9" (412.8mm x 200.7mm x 48.3mm)

**Cable**

Length: 5 feet from keyboard to Bulkhead Connector  
Design: separate cables  
(providing separate keyboard and mouse connections)

**Compatibility**

Compatible with all Windows Operating Systems

**Warranty**

1 Year limited Warranty Standard

**Model Numbers**

5000-DT-NI-PS/2 (PS/2 Interface)

**Disclaimer**

Note: Specifications are subject to change without notice.