

## KYBX-300L-PM-USB - VANDAL RESISTANT PANELMOUNT KEYBOARD



**\$590.00 USD**

### ***Vandal Resistant Panelmount Keyboard with Built-in Trackball Mouse***

- Environmentally Sealed to NEMA 4, 4X / IP65 specifications when properly installed.
  - Rugged, Vandal Resistant Panelmount Keyboard
    - 10 Million Actuations Expected life
    - 66 Flat Keys & 38mm Steel Laser Trackball
      - Sealed and easily cleanable
      - Includes 5.75' USB cable



## GALLERY IMAGES



## PRODUCT DESCRIPTION

The Stealth model KYBX-300L-PM-USB Vandal Resistant Panelmount Keyboard is an industrial grade keyboard with trackball mouse housed in a rugged vandal resistant stainless steel enclosure.

The KYBX-300L-PM-USB features 66 flat keys for easy cleaning, has an extended temperature range and environmentally sealed to NEMA 4, 4X / IP65 specifications when properly installed.

These indestructible stainless steel clad peripherals are designed to stand up to the rigors and abuse found in public access, kiosks, and harsh environment applications.

**ADDITIONAL INFORMATION**

<b>Industrial Approvals</b>	<p>* Proper instructions must be followed to create a water-tight seal (NEMA 4X / IP65) NEMA 4, 4X, IP65 RoHS Compliant Material/Style: Brushed stainless steel buttons Life: &gt;10 million actuations Travel: 2.00mm (0.07")</p>
<b>Key Switch</b>	<p>Actuation Force: 1.2N+/-0.1N Contact: Carbon-on-Gold key switch PCB Trackball: 38mm (1.5") diameter 1200 DPI IP68 Laser Trackball Mouse 3 Buttons, Left Right and Scroll</p>
<b>Power</b>	<p>Supply Voltage: +5V DC +/-5% Current Rating: Approx. 30mA Operating: -20C to +60C (-4F to +140F) Storage: -40C to +70C (-40F to +158F)</p>
<b>Temperature Range</b>	<p>Atmospheric pressure: 60-106Kpa. Saline mist: 96 hours, IEC 60512-6 Damp heat test at + 40oC: 21 days, IEC 60512-6 Dry heat test at + 85oC: 10 days, IEC 60512-6</p>
<b>Humidity</b>	<p>30-90%</p>
<b>Housing</b>	<p>Rugged, Vandal Resistant Stainless Steel casing Sealed to NEMA 4, 4X, IP65 when installed properly</p>
<b>Dimensions</b>	<p>392.0mm x 110.0mm (front panel) 416.0mm x 134.0mm (back panel)</p>
<b>Cable</b>	<p>Length: 5.75 feet (1.75m) Design: Single Cable USB</p>
<b>Compatibility</b>	<p>Compatible with all Windows Operating Systems</p>
<b>Warranty</b>	<p>1 Year limited Warranty Standard</p>
<b>Model Numbers</b>	<p>KYBX-300L-PM-USB (USB Interface)</p>
<b>Disclaimer</b>	<p>Note: Specifications are subject to change without notice.</p>