

OEM-114-KYB - OEM/OPEN-FRAME KEYBOARD



\$315.00 USD

Small Open-Frame Keyboard

- Meets NEMA 4, 4X / IP65 specifications when properly installed
 - Small Foot Print Design
- 114 Keys, 24 Function Keys, WIN KEY, Numeric Keypad
 - Greater than 10 Million cycles expected life
 - PS/2 or USB connectors



PRODUCT DESCRIPTION

The Stealth Computer model OEM-114-KYB provides a full 114-key layout with 24 function keys. Each kit is comprised of an industrial silicone keypad, switch matrix board, keyboard controller and cable.

ADDITIONAL INFORMATION**Industrial Approvals**

NEMA 4, 4X, IP65* when properly installed, UL/ULc 60950, CE, FCC Class 15, Part B

Key Switch

Actuation Force: 7oz (200g)
Material: Industrial Silicone Rubber
Life: Greater than 10 million cycles
Travel: 0.060" (1.5mm)
Feedback: Tactile with mechanical snap

Power

Keyboard: 5V@10ma (from CPU Port)

Temperature Range

Operating: -40C to +70C (-40F to +158F)
Storage: -40C to +90C (-40F to +194F)

Humidity

100% (when properly installed)

Shock

3x11 ms pulses of 50g on each of 3 axes

Vibration

Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz,
Duration of Test per Axis: 3 hours

Dimensions

(W-H-D) 15.00" x 6.50" x 0.42" (381.0mm x 165.1mm x 10.7mm)

Cable

Length: 6 feet, Design: PS/2 or Single Cable USB

Compatibility

PS/2: All windows operating systems most Linux/Unix Systems,
USB: All windows operating systems, MAC OS and most
Linux/Unix Systems

Additional Options

Custom cable lengths, special connectors, custom enclosures etc
Other Languages Available - Contact us for more details,
Minimum quantities may apply.

Warranty

1 Year limited Warranty Standard

Model Numbers

OEM-114-KYB-PS/2 (PS/2 Interface)
OEM-114-KYB-USB (USB Interface)

Disclaimer

Note: Specifications are subject to change without notice.