

861-DP2-USB - DESKTOP RUGGED KEYBOARD (DISCONTINUED)



\$395.00 USD

Rugged, Small Footprint, Washable Keyboard with Built-in Finger Tip Mouse

- Washable NEMA 4, 4X / IP65 fully sealed
 - Rugged small foot print enclosure
 - "CLEAN KEY" disengages keys for easy cleaning
- No room for bacteria and infection traps
- Adjusted LED backlighting / illumination, 4 Stages (red)
 - Built-in FingerTip Mouse
 - Tapped holes for mounting
- 83 Keys, 12 function keys & Windows key
 - Wide Temperature Range, -40 to +70C (-40 to 158F)



GALLERY IMAGES



PRODUCT DESCRIPTION

The Stealth model 861-DP2-USB is an industrial desktop rugged keyboard that is environmentally sealed to NEMA 4, 4X / IP65 specifications standing up to harsh and dirty environments. The rugged small footprint design has 4-stages of backlit illumination for night time viewing and features a "Clean Key" that locks the keyboard down when a cleaning function is performed.

This Stealth washable keyboard features 83-Keys including 12 function keys and a built-in optical fingertip mouse sensor for a total solution in one convenient package. Ideal applications include medical carts, in vehicle computing, plant floor, kiosks, warehousing and outdoor environments to name a few.

Stealth has a wide variety of rugged industrial keyboards & pointing devices and have been designed for use in a multitude of applications including HMI, operator interface, shop floor, data acquisition, kiosks, medical carts, mobile mount, and outdoor use to name a few.

ADDITIONAL INFORMATION

Industrial Approvals	NEMA 4, 4X / IP65 UL 60950, CE, FCC Class B
Key Switch	Material: Industrial Silicone Rubber Approximate Life: 3 million operations Feedback: Tactile
Sealed FingerTip Mouse	No moving parts, Optical finger navigation sensor, 2 button click function, high speed motion detection
Power	5 VDC @ 250 mA typical with backlighting at maximum brightness Radiated immunity: 20 volts/Meter
Temperature Range	Operating: -40C to +70C (-40F to +158F) Storage: -55C to +70C (-67F to +158F)
Humidity	100%
Housing	Rugged, high impact plastic Sealed to NEMA 4, 4X
Mounting	4X #8-32 tapped holes for secure mounting
Backlighting / Illumination	4 levels of brightness (Red), button selectable (including Off), Life = 200,000 hours continuous "on" Prevents data from being sent while the keyboard is wiped or hosed down. Allows for easy cleaning without removing the cable from the system.
Clean Key	The user is notified of the 'lock down mode' by a brightly lit "CLEAN KEY"
Dimensions	(W-D-H) 11.4" x 6.4" x 1.9" (290 x 162 x 48 mm)
Weight	Unit: 2 lbs (0.9 kg) (approx)
Cable	Length: 3.2 feet (1m), Design: Single USB 2.0 Cable
Compatibility	PS/2: All windows operating systems most Linux/Unix Systems, USB: All windows operating systems, MAC OS and most Linux/Unix Systems
Warranty	1 Year limited Warranty Standard
Model Numbers	861-DP2-USB (USB Interface)
Disclaimer	Note: Specifications are subject to change without notice.