

## TBLX-PM-USB - RUGGED, VANDAL RESISTANT PANEL MOUNT MOUSE




**\$340.00 USD**

### ***Rugged, Vandal Resistant, Sealed Trackball Mouse***

- Panel mount, Trackball, 3-button Mouse
- Rugged Stainless Steel, Vandal Resistant
  - IP65 dynamic (front panel), NEMA3
- High Resolution 1200DPI Optical Trackball
- -20 to +60C (-4 to 140F) Temperature Range
- Ideal for Kiosks and Public Access applications
  - Includes USB cable



## GALLERY IMAGES



## PRODUCT DESCRIPTION

The Stealth model TBLX-PM-USB trackball mouse is an industrial grade pointing device housed in a rugged vandal resistant stainless steel panel mount enclosure. The TBLX-PM-USB features a high resolution trackball and 3 button mouse and is ideal for Kiosks and Public Access applications.

Stealth has a wide variety of rugged industrial keyboards & pointing devices and have been designed for use in a multitude of applications including HMI, operator interface, shop floor, data acquisition, kiosks, medical carts, mobile mount, and outdoor use to name a few.

## ADDITIONAL INFORMATION

<b>Industrial Approvals</b>	IP65 dynamic (front panel), NEMA3 RoHS Compliant, CE and FCC
<b>Key Switch</b>	Material/Style: Brushed stainless steel buttons Life: >10 million actuations Travel: 1.00mm (0.039") Contact: Stainless steel switch Trackball: 38mm (1.5") diameter Life: >10 million revolutions
<b>Power</b>	Supply Voltage: +5V DC +/-10% Current Rating: Approx. 30mA
<b>Temperature Range</b>	Operating: -20C to +60C (-4F to +140F) Storage: -40C to +70C (-40F to +158F) Atmospheric pressure: 60-106Kpa.
<b>Humidity</b>	30-90%
<b>Housing</b>	Rugged, Vandal Resistant Stainless Steel casing
<b>Dimensions</b>	(W-H-D) 4.21" x 5.27" x 1.92" (107mm x 134mm x 49mm)
<b>Cable</b>	Length: 5.75 feet (1.75m) Design: Single Cable USB
<b>Compatibility</b>	Compatible with all Windows Operating Systems
<b>Warranty</b>	1 Year limited Warranty Standard
<b>Model Numbers</b>	TBLX-PM-USB (USB Interface)
<b>Disclaimer</b>	Note: Specifications are subject to change without notice.