

18-PM - PANELMOUNT NUMERIC KEYPAD (DISCONTINUED)



Panelmount NEMA Numeric Keypad

- Environmentally Sealed to NEMA 4, 4X / IP65 specifications when properly installed
- 18 key numeric layout with Enter, Escape, and Arrow (numlock) key functionality.
 - Ideal for Kiosk Applications
 - 10 Million cycles expected life
 - PS/2 or USB connectors

The model 18-PM is now End-of-Life, if you have a requirement please contact us or see our current lineup of rugged keyboards & pointing devices.



PRODUCT DESCRIPTION

The Stealth Computer model 18-PM provides a full numeric keypad that is easily integrated into any system. The secondary legend can be accessed by pressing the NumLock key. It is also possible to cascade a secondary keyboard if necessary.

ADDITIONAL INFORMATION**Industrial Approvals**

NEMA 4, 4X, IP65* when properly installed, UL/ULc 60950, CE, FCC Class 15, Part B

Key Switch

Material: Industrial Silicone Rubber

Life: Greater than 10 million cycles

Travel: 0.055" (1.4mm)

Actuation Force: 5oz (130g)

Feedback: Tactile with mechanical snap

Power

Keyboard: 5V@10ma (from CPU Port)

Temperature Range

Operating: -40C to +70C (-40F to +158F)

Storage: -40C to +90C (-40F to +194F)

Humidity

100% (when properly installed)

Shock

3×11 ms pulses of 50g on each of 3 axes

Vibration

Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz,

Duration of Test per Axis: 3 hours

Dimensions

(W-H-D) 5.85" x 7.05" x 0.75" (148.6mm x 179.1mm x 19.1mm)

CUTPIT: 5.4" x 4.6"

Cable

Length: 10 feet (3.94 meters), Interface: Either PS/2 or USB single connection

Compatibility

Compatible with all Windows Operating Systems

Additional Options

Custom cable lengths, special connectors, custom enclosures etc

Other Languages Available - Contact us for more details,

Minimum quantities may apply.

Warranty

1 Year limited Warranty Standard

Model Numbers

18-PM-PS/2 (PS/2 Interface)

18-PM-USB (USB Interface)

Disclaimer

Note: Specifications are subject to change without notice.